

# ARCHITECTURAL STANDARDS PRODUCT DATA SHEET

Wall Panel

K 13 K 13

## PREFFERED SUPPLIER INFORMATION

NBS REFERENCE P21/310

MANUFACTURER: SAINT GOBAIN ECOPHON

Address OLD BRICK KILN, RAMSDELL RG26 5PP

Tel 01256 850977

E-mail <u>sharon.baker@ecophon.co.uk</u>

Website: <a href="https://www.ecophon.co.uk">www.ecophon.co.uk</a>
Supplier: Contact: SHARON BAKER



#### PRODUCT DESCRIPTION

ICL APPROVED SPECIFICATION

Range: AKUSTO ONE

Product Code Depends on colour selected - Akusto Wall Panel C - Colours

**Application:** Fixed directly to the wall to improve acoustic reverberation

Material Base is made from glass wool - 80% recycled glass

**Size** Various - 600x600, 1200x300, 1200x600

Other

Environmental 80% recycled glass
Recycling Can be recycled

Guarantees Product up to 20 years, installer would give separate guarantee

Production Stock - 2 weeks

## TYPICAL NBS SPECIFICATION

K13

# ACOUSTIC PANEL LINING

Drawing reference(s):

Background:Finished Size:

Panels: Akusto One SQ

Manufacturer and reference:

Saint Gobain Ecophon, Old Brick Kiln, Ramsdell, Tadley, RG26 5PP, UK

www.ecophon.com/uk

• Size(s): 600x600 mm or 1200x300 mm or 1200x600 mm

Thickness: 40 mm

Finish:

Front: Ecophon Texona Colour Sea Salt or Liquirice, Pepper, Garlic Ginger,

Oyster, Acai , Menthol, Mustartd or Poppy Seed

Edge: White or Grey

Method of fixing panels: As per Ecophon installation method M371

Fixings: Alt. 1 Connect One trim and Connect Absorber Anchor One